

# 60 Watt Replacement Finally™ Light Bulb



## Warm, beautiful light for you and your home

Finally™ light bulbs are the only bulbs powered by Tesla Technology™ which produces a unique light spectrum that LED light cannot, resulting in whiter whites and brighter colors.

## Tesla Technology™

- Unique light quality reveals the brilliance in whites and colors
- Patented technology produces 66% less harsh blue light than the average LED
- Makes your home more inviting and your skin look healthy

## 15 Year Guarantee

- Designed for beauty, crafted to last - with a bulb life of at least 15 years, and the energy efficiency you expect

LAMP DESCRIPTION FNL/A19/60/W27/120/ND

### GENERAL CHARACTERISTICS

Lamp Type	Tesla Technology™ Self Ballasted Induction
Driver Type	Electronic
Bulb Size	A19
Beam	Omnidirectional
Base	Medium - E26
Wattage Replacement	60W Incandescent
Rated Life	16,500 hours
Operating Temperature	0° to 122°F (-18 to +50°C)
Application	Standard
Operation Position	Universal

### ELECTRICAL CHARACTERISTICS - RATED

Energy Used	14.5 Watts
Input Voltage	120 Volts
Input Line Frequency	60 Hz

### PHOTOMETRIC CHARACTERISTICS - RATED

Lumens	800
Correlated Color Temp.	Warm White 2700 K
Color Rendering Index	83
Efficacy	55

### DIMENSIONS

Nominal Weight	4.2 oz (120 g)
MOD (Max. Overall Diameter)	2.4 in (60 mm)
MOL (Max. Overall Length)	4.5 in (114 mm)



# 75 Watt Replacement Finally™ Light Bulb



## Warm, beautiful light for you and your home

Finally™ light bulbs are the only bulbs powered by Tesla Technology™ which produces a unique light spectrum that LED light cannot, resulting in whiter whites and brighter colors.

## Tesla Technology™

- Unique light quality reveals the brilliance in whites and colors
- Patented technology produces 66% less harsh blue light than the average LED
- Makes your home more inviting and your skin look healthy

## 15 Year Guarantee

- Designed for beauty, crafted to last - with a bulb life of at least 15 years, and the energy efficiency you expect

LAMP DESCRIPTION FNL/A19/75/W27/120/ND

## GENERAL CHARACTERISTICS

Lamp Type	Tesla Technology™ Self Ballasted Induction
Driver Type	Electronic
Bulb Size	A19
Beam	Omnidirectional
Base	Medium - E26
Wattage Replacement	75W Incandescent
Rated Life	16,500 hours
Operating Temperature	0° to 122°F (-18 to +50°C)
Application	Standard
Operation Position	Universal

## ELECTRICAL CHARACTERISTICS - RATED

Energy Used	18 Watts
Input Voltage	120 Volts
Input Line Frequency	60 Hz

## PHOTOMETRIC CHARACTERISTICS - RATED

Lumens	1100
Correlated Color Temp.	Warm White 2700 K
Color Rendering Index	83
Efficacy	60

## DIMENSIONS

Nominal Weight	4.2 oz (120 g)
MOD (Max. Overall Diameter)	2.4 in (60 mm)
MOL (Max. Overall Length)	4.5 in (114 mm)



# 100 Watt Replacement Finally™ Light Bulb



## Warm, beautiful light for you and your home

Finally™ light bulbs are the only bulbs powered by Tesla Technology™ which produces a unique light spectrum that LED light cannot, resulting in whiter whites and brighter colors.

## Tesla Technology™

- Unique light quality reveals the brilliance in whites and colors
- Patented technology produces 66% less harsh blue light than the average LED
- Makes your home more inviting and your skin look healthy

## 15 Year Guarantee

- Designed for beauty, crafted to last - with a bulb life of at least 15 years, and the energy efficiency you expect

LAMP DESCRIPTION FNL/A21/100/W27/120/ND

## GENERAL CHARACTERISTICS

Lamp Type	Tesla Technology™ Self Ballasted Induction
Driver Type	Electronic
Bulb Size	A21
Beam	Omnidirectional
Base	Medium - E26
Wattage Replacement	100W Incandescent
Rated Life	16,500 hours
Operating Temperature	0° to 122°F (-18 to +50°C)
Application	Standard
Operation Position	Universal

## ELECTRICAL CHARACTERISTICS - RATED

Energy Used	26 Watts
Input Voltage	120 Volts
Input Line Frequency	60 Hz

## PHOTOMETRIC CHARACTERISTICS - RATED

Lumens	1600
Correlated Color Temp.	Warm White 2700 K
Color Rendering Index	80
Efficacy	60

## DIMENSIONS

Nominal Weight	4.8 oz (136 g)
MOD (Max. Overall Diameter)	2.9 in (75 mm)
MOL (Max. Overall Length)	5.6 in (141 mm)

